

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.


BURTON'S Hill Top Nurseries

J. Howard Burton

CASSTOWN, OHIO

PHONE - CASSTOWN, OHIO 2425

Fall 1949 - Spring 1950



WHOLESALE PRICE LIST

INDEX

| | |
|------------------------------------|---------|
| Evergreens (Field Grown) ----- | 3 - 6 |
| Field Grown Shrubs ----- | 7 - 15 |
| Shade Trees (Field Grown) ----- | 15 - 19 |
| Balling Price Schedule ----- | 20 |
| Field Grown Vines ----- | 21 |
| Fruit Trees and Small Fruits ----- | 22 |
| Globe Barberry ----- | 24 |

Members of

American Association of Nurserymen
Ohio Nurserymen's Association
Michigan Nurserymen's Association
Indiana Nurserymen's Association

We ship by B. & O., N. Y. C. or Penna. Railroads — by Truck Line Freight or Railway Express. We suggest that if possible you call for bulky shipments to speed delivery and conserve packing materials. Truck orders delivered by special arrangement to any point.

TERMS

This list cancels all previous lists. Prices are subject to change without notice.

Thirty days net to parties of approved credit established in advance of shipment. Discounts for cash in advance of shipment 3%; 2% for payment within 10 days; 30 days net. C.O.D. orders must be accompanied by $\frac{1}{4}$ cash deposit. Boxing and baling are charged for at near cost. Car loads and truck loads packed free. When cash accompanies order, boxing will be billed to those of established credit, otherwise boxing charges will be sent C.O.D. with shipment.

Five or more plants will be charged at the 10 rate, thirty or more at the 100 rate. Less than 5 will be charged 25% higher than the 10 rate. Any possible claims for rejection or deficiency must be made within 5 days after arrival of stock. All shipments travel at cost and risk of the purchaser.

FIELD GROWN EVERGREENS

| | Each Per 10 | Each Per C |
|---|----------------|---------------|
| Abies Concolor (White Fir) | | |
| 3 to 4 ft. ----- | \$ 6.00 | \$ |
| 4½ to 5 ft. ----- | 7.50 | |
| 8 to 9 ft. ----- | 14.00 | |
| 12 to 15 ft. ----- | 25.00 | |
| Abies Balsamæ (Balsam Fir) | | |
| 18 to 24 in. ----- | 1.50 | |
| 2 to 2½ ft. ----- | 2.00 | |
| 2½ to 3 ft. ----- | 2.50 | |
| Arborvitæ American Dark Green (Thuja occidentalis nigra) | | |
| 18 to 24 in. ----- | 2.00 | 1.50 |
| 2 to 2½ ft. ----- | 2.50 | 2.25 |
| 2½ to 3 ft. ----- | 2.75 | 2.50 |
| Arborvitæ Elegantissima, (Thuja plicata elegantissima) | | |
| 18 to 24 in. ----- | 2.00 | |
| Arborvitæ Little Gem | | |
| 2 to 2½ ft. ----- | 3.50 | |
| Arborvitæ pyramidalis | | |
| 18 to 24 in. ----- | 1.50 | 1.25 |
| 2 to 3 ft. ----- | 2.00 | 1.75 |
| 3 to 4 ft. ----- | 3.00 | |
| 4 to 5 ft. ----- | 4.00 | |
| Arborvitæ rosenthal | | |
| 18 to 24 in. ----- | 2.25 | |
| 2 to 3 ft. ----- | 2.75 | |
| Arborvitæ Woodwardi Globe, | | |
| 12 to 15 in. ----- | 1.50 | |
| 15 to 18 in. ----- | 2.00 | |
| Biota aurea nana, | | |
| 12 to 15 in. ----- | 1.50 | |
| 15 to 18 in. ----- | 2.00 | 1.75 |
| 18 to 24 in. ----- | 2.25 | 2.00 |
| 2 to 2½ ft. ----- | 3.00 | 2.75 |
| Biota Burtoni, | | |
| A new blue-green type of pyramidal Biota which has proven perfectly hardy when others were injured during the past twenty years. It does not bronze up in the winter. | | |
| 2½ to 3 ft. ----- | 2.50 | |
| 6 to 8 ft. ----- | 6.00 | |
| Biota compacta | | |
| 15 to 18 in. ----- | 1.50 | |
| 18 to 24 in. ----- | 2.00 | 1.75 |
| 2 to 2½ ft. ----- | 2.50 | 2.25 |
| 2½ to 3 ft. ----- | 2.75 | 2.50 |
| Biota conspicta aurea | | |
| 18 to 24 in. ----- | 2.25 | 2.00 |
| 2 to 3 ft. ----- | 2.75 | 2.50 |
| 3 to 4 ft. ----- | 3.25 | 3.00 |
| Chamaecyparis Triumph of Boskoop, | | |
| 8 to 9 ft. ----- | 18.00 | |
| Hemlock (Tsuga Canadensis) | | |
| 2 to 3 ft. ----- | 3.75 | |
| 3 to 4 ft. ----- | 4.75 | 4.50 |
| 4 to 4½ ft. ----- | 5.75 | 5.50 |
| 4½ to 5 ft. ----- | 6.50 | |
| Juniper andorra | | |
| 15 to 18 in. ----- | 1.50 | |
| 18 to 24 in. ----- | 2.00 | |
| 2 to 3 ft. ----- | 2.50 | |

| | Each Per 10 | Each Per C |
|--|----------------|---------------|
| Juniper Chinensis | | |
| (These Juniper Chinensis are extremely interesting and pic- turesque.) | | |
| 5 to 6 ft. ----- | 4.75 | |
| 6 to 7 ft. ----- | 5.50 | |
| 7 to 8 ft. ----- | 6.50 | |
| 8 to 10 ft. ----- | 8.50 | |
| 10 to 12 ft. ----- | 12.00 | |
| Juniper ch. Columnaris | | |
| 2½ to 3 ft. ----- | 3.00 | |
| 4 to 4½ ft. ----- | 5.50 | |
| 4½ to 5 ft. ----- | 6.50 | |
| Juniper ch. foemina, | | |
| 18 to 24 in. ----- | 2.25 | |
| 2 to 2½ ft. ----- | 3.00 | 2.75 |
| 3 to 4 ft. ----- | 4.00 | 3.75 |
| 4 to 5 ft. ----- | 4.75 | 4.50 |
| 5 to 6 ft. ----- | 6.00 | 5.25 |
| Juniper ch. Kettleri | | |
| 2 to 3 ft. ----- | 2.50 | |
| 3 to 4 ft. ----- | 3.50 | |
| 4 to 5 ft. ----- | 5.00 | |
| 5 to 6 ft. ----- | 6.50 | |
| 10 to 12 ft. ----- | 14.00 | |
| Juniper ch. Pfitzeriana | | |
| 15 to 18 in. ----- | 2.00 | 1.75 |
| 18 to 24 in. ----- | 2.50 | 2.25 |
| 2 to 2½ ft. ----- | 3.25 | 3.00 |
| 2½ to 3 ft. ----- | 3.50 | 3.25 |
| 3 to 3½ ft. ----- | 4.00 | 3.75 |
| Juniper ch. pfitzeriana aurea, | | |
| 5 to 6 ft. ----- | 6.50 | |
| Juniper ch. pfitzeriana compacta, | | |
| 15 to 18 in. ----- | 2.50 | 2.25 |
| 18 to 24 in. ----- | 3.00 | 2.75 |
| 2 to 2½ ft. ----- | 3.50 | |
| 2½ to 3 ft. ----- | 4.00 | |
| Juniper Pfitzer Glauca | | |
| 4 to 5 ft. ----- | 5.00 | |
| Juniper ch. Sargenti (blue) | | |
| 15 to 18 in. ----- | 2.25 | |
| 18 to 24 in. ----- | 3.00 | |
| 2 to 3 ft. ----- | 3.50 | |
| Juniper communis spreading | | |
| 18 to 24 in. ----- | 2.00 | |
| Juniper communis vase type | | |
| 18 to 24 in. ----- | 2.25 | 2.00 |
| 2 to 2½ ft. ----- | 2.50 | 2.25 |
| Juniper communis Hibernica (Irish) | | |
| 6 to 6½ ft. ----- | 4.25 | 4.00 |
| Juniper communis hibernica fastigata (Compact Irish) | | |
| 18 to 24 in. ----- | 1.25 | |
| 2 to 2½ ft. ----- | 2.00 | |
| Juniper conferta, (bright green, creeping shore Juniper), | | |
| 3 to 4 ft. ----- | 3.75 | |
| 4 to 5 ft. ----- | 4.50 | |
| Juniper cracovica (Polish) | | |
| 4½ to 5 ft. ----- | 2.50 | |
| 5 to 6 ft. ----- | 3.50 | |

| | Each Per 10 | Each Per C |
|---|----------------|---------------|
| Juniper excelsa stricta | | |
| 12 to 15 in. ----- | 1.50 | 1.25 |
| 15 to 18 in. ----- | 1.75 | 1.50 |
| 18 to 24 in. ----- | 2.25 | 2.00 |
| 2 to 3 ft. ----- | 3.00 | 2.75 |
| 10 to 12 ft. TT., (Well formed window box grade) | | |
| Bare root ----- | 1.10 | 1.00 |
| Juniper Japonica (Hillbush Dark Green) | | |
| 15 to 18 in. ----- | 2.00 | |
| 18 to 24 in. ----- | 2.50 | |
| Juniper Neoboriensis, | | |
| 4 to 5 ft. ----- | 5.00 | |
| Juniper procumbens | | |
| 15 to 18 in. ----- | 2.25 | |
| 18 to 24 in. ----- | 2.50 | |
| 2 to 3 ft. ----- | 2.75 | |
| Juniper Sabina Von Ehron | | |
| 3 to 3½ ft. ----- | 3.25 | |
| 6 to 7 ft. spread ----- | 10.00 | |
| Juniper virginiana, | | |
| 3 to 4 ft. ----- | 2.75 | |
| 4 to 5 ft. ----- | 3.50 | |
| Juniper virginiana Burkei | | |
| 3½ to 4 ft. ----- | 4.00 | |
| 8 to 10 ft. ----- | 15.00 | |
| 10 to 12 ft. ----- | 18.00 | |
| Juniper virginiana Cannarti | | |
| 2½ to 3 ft. ----- | 3.00 | 2.75 |
| 3 to 4 ft. ----- | 4.00 | 3.50 |
| 8 to 10 ft. ----- | 16.00 | |
| 10 to 12 ft. ----- | 18.00 | |
| 12 to 15 ft. ----- | 20.00 | |
| Juniper virginiana Dundee | | |
| 2½ to 3 ft. ----- | 3.00 | |
| Juniper virg. Globosa, | | |
| 15 to 18 in. ----- | 2.75 | |
| 18 to 24 in. ----- | 3.75 | |
| 2 to 2½ ft. ----- | 4.50 | |
| 4 to 5 ft. specimen ----- | 9.00 | |
| Juniper virg. pendula, | | |
| 6 to 7 ft. ----- | 5.00 | |
| Juniper virg. pyramidalis, | | |
| 3 to 4 ft. ----- | 3.00 | |
| 4 to 5 ft. ----- | 4.00 | 3.50 |
| Pinus montana mughus | | |
| 15 to 18 in. ----- | 2.50 | |
| 18 to 24 in. ----- | 3.00 | |
| 2 to 2½ ft. ----- | 3.75 | |
| Pinus strobus (White Pine) | | |
| 3 to 4 ft. ----- | 3.50 | |
| 4 to 5 ft. ----- | 4.00 | |
| 5 to 6 ft. ----- | 5.00 | |
| 6 to 7 ft. ----- | 6.50 | |
| 7 to 8 ft. ----- | 8.00 | |
| 8 to 10 ft. ----- | 10.00 | |
| 10 to 12 ft. ----- | 12.00 | |
| 12 to 15 ft. ----- | 18.00 | |
| Pinus resinosa (Norway or Red Pine) | | |
| 5 to 6 ft. ----- | 5.50 | |
| 6 to 8 ft. ----- | 7.50 | |
| Pinus tabulaeformis (Jap table pine), | | |
| 3 to 3½ ft. ----- | 5.75 | |

| | Each Per 10 | Each Per C |
|---|----------------|---------------|
| Pseudotsuga Douglasi (Douglas Fir) | | |
| 18 to 24 in. ----- | 2.00 | 1.50 |
| 2 to 3 ft. ----- | 2.50 | 2.00 |
| 3 to 4 ft. ----- | 3.00 | 2.50 |
| 4 to 5 ft. ----- | 4.00 | |
| 5 to 6 ft. ----- | 5.00 | |
| Spruce, Arrowhead, | | |
| 12 to 15 in. ----- | 2.75 | |
| 15 to 18 in. ----- | 3.75 | |
| 18 to 24 in. ----- | 4.50 | |
| 2 to 2½ ft. ----- | 5.50 | |
| Spruce, Black Hill | | |
| 18 to 24 in. ----- | 2.00 | 1.75 |
| 2 to 2½ ft. ----- | 2.50 | 2.25 |
| 2½ to 3 ft. ----- | 2.75 | 2.50 |
| 3 to 3½ ft. ----- | 3.25 | 3.00 |
| 3½ to 4 ft. ----- | 3.75 | 3.50 |
| 4 to 5 ft. ----- | 4.50 | 4.25 |
| 5 to 6 ft. ----- | 6.50 | |
| 6 to 7 ft. ----- | 7.00 | |
| Spruce, Morheim and Kusters (True grafted specimens) | | |
| 3 to 3½ ft. ----- | 15.00 | |
| 3½ to 4 ft. ----- | 17.50 | |
| 4 to 5 ft. ----- | 20.00 | |
| 5 to 6 ft. ----- | 27.50 | |
| 6 to 7 ft. ----- | 35.00 | |
| 7 to 8 ft. ----- | 37.50 | |
| Spruce, Norway | | |
| 3 to 4 ft. ----- | 2.75 | |
| 4 to 5 ft. ----- | 3.50 | |
| 5 to 6 ft. ----- | 4.50 | |
| 6 to 7 ft. ----- | 5.50 | |
| 7 to 8 ft. ----- | 6.50 | |
| Picea Omorika (Serbian Spruce) A more slender form of Pyramidal Spruce whose short needles are blue on the under side and bright green above. A valuable landscape subject. | | |
| 18 to 24 in. ----- | 2.50 | 2.25 |
| 2 to 2½ ft. ----- | 3.00 | 2.75 |
| 2½ to 3 ft. ----- | 3.50 | 3.25 |
| 3 to 4 ft. ----- | 4.50 | 4.25 |
| 4 to 5 ft. ----- | 5.50 | |
| 5 to 6 ft. ----- | 6.50 | |
| Taxus Andersoni, | | |
| 18 to 24 in. ----- | 4.50 | |
| Taxus Browni | | |
| 15 to 18 in. ----- | 3.75 | |
| Taxus cuspidata | | |
| 12 to 15 in. ----- | 2.50 | |
| 15 to 18 in. ----- | 3.50 | |
| 18 to 24 in. ----- | 4.50 | |
| Taxus Hatfieldi #6 | | |
| 18 to 24 in. ----- | 5.00 | |
| Taxus Repandens | | |
| 15 to 18 in. ----- | 3.50 | |
| 18 to 24 in. ----- | 4.50 | |

We have a wide assortment of evergreens suitable for landscape use in medium and large sizes, but in quantities too limited to list. Write for quotations on such lists or call and look the plants over.

FIELD GROWN SHRUBS

| | Each Per 10 | Each Per C |
|-----------------------------------|----------------|---------------|
| Almond, Pink (Own Root) | | |
| 12 to 18 in. ----- | .29 | .25 |
| 18 to 24 in. ----- | .40 | |
| 2 to 3 ft. ----- | .50 | .45 |
| Amorpha fruticosa | | |
| 18 to 24 in. ----- | .15 | |
| Althaea, Dbl. Red, Blue, White | | |
| 18 to 24 in. ----- | .30 | .25 |
| 2 to 3 ft. ----- | .40 | .35 |
| 3 to 4 ft. ----- | .50 | .45 |
| Amelanchier canadensis | | |
| 2 to 3 ft. ----- | .50 | .40 |
| 3 to 4 ft. ----- | .60 | .50 |
| 4 to 5 ft. ----- | .85 | |
| 5 to 6 ft. ----- | 1.25 | |
| 6 to 8 ft. ----- | 2.00 | |
| Aralia pentaphylla (Acanthopanax) | | |
| 18 to 24 in. ----- | .29 | .25 |
| 2 to 3 ft. ----- | .38 | .35 |
| 3 to 4 ft. ----- | .45 | .40 |
| 4 to 5 ft. ----- | .48 | .45 |
| 5 to 6 ft. ----- | .55 | |
| (We will quote thousand rates) | | |
| Aralia spinosa, | | |
| 3 to 4 ft. ----- | .60 | |
| 4 to 6 ft. ----- | .70 | |
| Aronia arbutifolia, | | |
| 3 to 4 ft. ----- | .60 | |
| 4 to 5 ft. ----- | .75 | |
| 5 to 6 ft. specimens ----- | 1.00 | |
| Aronia brilliantissima, | | |
| 18 to 24 in. ----- | .45 | .35 |
| 2 to 3 ft. ----- | .55 | .45 |
| 3 to 4 ft. ----- | .65 | .55 |
| Aronia melanocarpa, | | |
| 18 to 24 in. ----- | .30 | .28 |
| 2 to 3 ft. ----- | .40 | .35 |
| 3 to 4 ft. ----- | .45 | .40 |

Barberry, Globe - Plant Pat. No. 189

A low, slow growing and compact type of the well known hardy Barberry. Its compact, tight growth makes a trim appearance without shearing.

| | | |
|--------------------|-----|-----|
| 4 to 6 in. ----- | .30 | .25 |
| 6 to 9 in. ----- | .35 | .30 |
| 9 to 12 in. ----- | .45 | .40 |
| 12 to 15 in. ----- | .55 | .50 |
| 15 to 18 in. ----- | .65 | .60 |
| 18 to 24 in. ----- | .75 | .70 |

| Barberry Thunbergi, | Per 10 | Per C | Per M |
|---------------------------------|--------|-------|-------|
| 9 to 12 in. ----- | .12 | .10 | |
| 12 to 15 in. ----- | .20 | .15 | .12 |
| 15 to 18 in. ----- | .22 | .19 | .16 |
| 18 to 24 in. ----- | .30 | .25 | .22 |
| | Each | Each | |
| Barberry Thunbergi atropurpurea | Per 10 | Per C | |
| 8 to 12 in. ----- | .20 | .15 | |
| 15 to 18 in. ----- | .30 | .25 | |
| 18 to 24 in. ----- | .40 | .35 | |
| Barberry, Korean | | | |
| 2 to 3 ft. ----- | .40 | .35 | |
| 3 to 4 ft. ----- | .45 | .40 | |
| 4 to 5 ft. ----- | .50 | .45 | |

| | Each Per 10 | Each Per C |
|--|----------------|---------------|
| Bottlebush Buckeye (Aesculus Parviflora) | | |
| 18 to 24 in. ----- | 2.25 | |
| 2 to 3 ft. ----- | 2.50 | |
| Buddleia alternifolia | | |
| 3 to 4 ft. ----- | .50 | |
| Callicarpa Purpurea (Chinese Beauty Berry) | | |
| 2 to 3 ft. ----- | .45 | .40 |
| 3 to 4 ft. ----- | .55 | .50 |
| Calycanthus | | |
| 12 to 18 in. ----- | .25 | .22 |
| 18 to 24 in. ----- | .35 | .30 |
| 2 to 3 ft. ----- | .45 | .40 |
| Cercis canadensis, (Red Bud) | | |
| 2 to 3 ft. ----- | .50 | .45 |
| 3 to 4 ft. ----- | .85 | .80 |
| 4 to 5 ft. ----- | 1.25 | 1.00 |
| 5 to 6 ft. ----- | 1.45 | 1.25 |
| 6 to 7 ft. ----- | 1.75 | |
| Chioanthus virginica (White Fringe) | | |
| 4 to 5 ft. ----- | .95 | .90 |
| 5 to 6 ft. ----- | 1.15 | 1.00 |
| 6 to 8 ft. ----- | 1.50 | |
| 8 to 10 ft. ----- | 1.75 | |
| Cornus alternifolia, | | |
| 8 to 10 ft. ----- | 1.50 | 1.25 |
| Cornus Kousa, | | |
| 4 to 5 ft. ----- | 3.00 | |
| 8 to 10 ft. ----- | 5.00 | |
| Cornus lutea (Yellow bark cornus), | | |
| 3 to 4 ft. ----- | .45 | |
| Cornus mascula (European dogwood), | | |
| 2 to 3 ft. ----- | .60 | .50 |
| 3 to 4 ft. ----- | .70 | .60 |
| 4 to 5 ft. ----- | .80 | .75 |
| 7 to 8 ft. ----- | 1.75 | |
| 8 to 10 ft. ----- | 2.00 | |
| 10 to 12 ft. ----- | 2.50 | |
| Cornus paniculata (Gray Dogwood) | | |
| 18 to 24 in. ----- | .20 | .18 |
| 2 to 3 ft. ----- | .35 | .30 |
| 3 to 4 ft. ----- | .40 | .35 |
| 4 to 5 ft. ----- | .50 | .45 |
| Cornus siberica (Red Bark Cornus) | | |
| 2 to 3 ft. ----- | .30 | |
| 3 to 4 ft. ----- | .40 | |
| Corylus Americana (American Filbert) | | |
| 3 to 4 ft. ----- | .60 | |
| 4 to 5 ft. ----- | .70 | |
| Corylus atropurpurea, (Purple leaf Filbert) | | |
| 18 to 24 in. ----- | 1.75 | |
| 2 to 3 ft. ----- | 2.00 | |
| 3 to 4 ft. ----- | 2.75 | |
| Corylus avellana (European Filbert) | | |
| 18 to 24 in. ----- | .35 | .30 |
| 2 to 3 ft. ----- | .40 | .35 |
| 3 to 4 ft. ----- | .45 | .40 |
| 4 to 5 ft. ----- | .55 | |
| 5 to 6 ft. ----- | .75 | |
| 6 to 8 ft. ----- | .90 | |

| | | Each Per 10 | Each Per C |
|-------------------------------|-----------|----------------|---------------|
| Cotoneaster Divaricata, | | | |
| 18 to 24 in. ----- | B&B ----- | .75 | .70 |
| 2 to 3 ft. ----- | B&B ----- | 1.25 | 1.00 |
| 3 to 4 ft. ----- | B&B ----- | 1.75 | 1.50 |
| Cotoneaster foveolata | | | |
| (Large black fruit) | | | |
| 3 to 4 ft. ----- | | .70 | .65 |
| 4 to 5 ft. ----- | | .80 | .70 |
| Cotoneaster Horizontalis, | | | |
| 12 to 15 in. B&B ----- | | 1.25 | |
| 15 to 18 in. B&B ----- | | 1.50 | |
| 18 to 24 in. B&B ----- | | 1.75 | |
| Cotoneaster Hupehensis | | | |
| 3 to 4 ft. ----- | | 1.50 | |
| Cydonia japonica (Upright) | | | |
| 12 to 18 in. ----- | | .25 | |
| 18 to 24 in. ----- | | .35 | |
| Cydonia Crimson Beauty | | | |
| 3 to 4 ft. ----- | | 2.00 | |
| 4 to 5 ft. ----- | | 2.50 | |
| Cydonia Pygmaea | | | |
| (Dwarf Flw. Quince) | | | |
| 12 to 18 in. ----- | | .25 | .21 |
| 18 to 24 in. ----- | | .35 | .24 |
| 2 to 3 ft. ----- | | .45 | .35 |
| Desmodium Bicolor (Lespedeza) | | | |
| 3 to 4 ft. ----- | | .40 | .35 |
| Deutzia magnifica, | | | |
| 2 to 3 ft. ----- | | .40 | .35 |
| 3 to 4 ft. ----- | | .50 | .45 |
| Eleagnus Angustifolia | | | |
| 2 to 3 ft. ----- | | .35 | |
| 3 to 4 ft. ----- | | .50 | |
| Eleagnus argentia | | | |
| 5 to 6 ft. ----- | | .75 | .70 |
| Euonymus Americana, | | | |
| 12 to 18 in. ----- | | .30 | .25 |
| 18 to 24 in. ----- | | .35 | .30 |

Euonymus Burtoni

This is a compact growing form of Euonymus Europaeus grown from cuttings. It never exceeds six feet in height with us and bears an amazingly heavy and dependable crop of orange red fruits each fall. The deep green foliage retains its vigor later than most other shrubs and for that reason alone is very outstanding.

| | |
|--------------------|------|
| 12 to 18 in. ----- | .75 |
| 2 to 3 ft. ----- | .90 |
| 3 to 4 ft. ----- | 1.00 |
| 4 to 5 ft. ----- | 1.50 |

Euonymus Europaeus,

| | |
|------------------|-----|
| 2 to 3 ft. ----- | .30 |
| 3 to 4 ft. ----- | .40 |

Euonymus yedoensis,

| | | |
|--------------------|-----|-----|
| 18 to 24 in. ----- | .35 | |
| 2 to 3 ft. ----- | .45 | .40 |
| 3 to 4 ft. ----- | .55 | .50 |
| 4 to 5 ft. ----- | .65 | .60 |
| 5 to 6 ft. ----- | .75 | .70 |

| | Each Per 10 | Each Per C |
|---|----------------|---------------|
| <i>Exochorda grandiflora</i> (Pearl bush), | | |
| 4 to 5 ft. ----- | .55 | .50 |
| 5 to 6 ft. ----- | .60 | .55 |
| | Each Per 10 | Each Per C |
| <i>Fontanesia fortunei</i> (An upright narrow shrub) | | Each Per M |
| 18 to 24 in. ----- | .18 | .15 |
| 2 to 3 ft. ----- | .30 | .25 |
| 3 to 4 ft. ----- | .35 | .30 |
| 4 to 5 ft. ----- | .40 | .35 |
| | Each Per 10 | Each Per C |
| <i>Forsythia primulina</i> | | |
| 2 to 3 ft. ----- | .30 | .25 |
| 3 to 4 ft. ----- | .35 | .30 |
| <i>Forsythia, Dwarf</i> | | |
| 12 to 18 in. ----- | .30 | .25 |
| <i>Forsythia spectabilis,</i> | | |
| 2 to 3 ft. ----- | .22 | .18 |
| 3 to 4 ft. ----- | .25 | .20 |
| 4 to 5 ft. ----- | .30 | .25 |
| 5 to 6 ft. ----- | .35 | .30 |
| <i>Halesia Tetraptera</i> | | |
| 2 to 3 ft. ----- | .50 | |
| 3 to 4 ft. ----- | .65 | |
| <i>Hamamelis vernalis,</i> (Spring blooming witch hazel) | | |
| 2 to 3 ft. ----- | .40 | .35 |
| 3 to 4 ft. ----- | .45 | .40 |
| 4 to 5 ft. ----- | .60 | .50 |
| <i>Hamamelis virginiana,</i> | | |
| 2 to 3 ft. ----- | .45 | |
| 3 to 4 ft. ----- | .50 | |
| 4 to 5 ft. ----- | .70 | .65 |
| 5 to 6 ft. ----- | .80 | .75 |
| <i>Hydrangea A. G.</i> | | |
| 18 to 24 in. ----- | .40 | .35 |
| 2 to 3 ft. ----- | .50 | .45 |
| <i>Hydrangea P. G.</i> | | |
| 18 to 24 in. ----- | .40 | .35 |
| 2 to 3 ft. ----- | .55 | .50 |
| <i>Hypericum prolificum,</i> | | |
| 18 to 24 in. ----- | .35 | .30 |
| 2 to 3 ft. ----- | .40 | .35 |
| <i>Kerria jap. flora plena (Double)</i> | | |
| 12 to 18 in. ----- | .35 | |
| 18 to 24 in. ----- | .50 | |
| <i>Kolkwitzia amabilis (Beauty Bush)</i> | | |
| 12 to 18 in. ----- | .30 | .24 |
| 18 to 24 in. ----- | .40 | .35 |
| 2 to 3 ft. ----- | .60 | |
| <i>Lilac, French Hybrids</i> | | |
| 12 to 18 in. ----- | .40 | |
| 18 to 24 in. ----- | .55 | |
| 24 to 30 in. ----- | .65 | |
| 30 to 36 in. ----- | .90 | |
| <i>Lilac, Japonica</i> | | |
| 2 to 3 ft. ----- | .50 | .45 |
| 3 to 4 ft. ----- | .75 | .70 |
| <i>Lilac Persian</i> | | |
| 18 to 24 in. ----- | .32 | .28 |
| 2 to 3 ft. ----- | .45 | .40 |
| 3 to 4 ft. ----- | .55 | .50 |
| 4 to 5 ft. ----- | .70 | |

| | Each Per 10 | Each Per C |
|--|----------------|---------------|
| Lilac Villosa, (Late blooming purple lilac) | | |
| 12 to 18 in. ----- | .30 | |
| 18 to 24 in. ----- | .40 | |
| 4 to 5 ft. ----- | .50 | .45 |
| 5 to 6 ft. ----- | .55 | .50 |
| 6 to 8 ft. ----- | .65 | .60 |
| Lilac Vulgaris (Common Purple) | | |
| 2 to 3 ft. ----- | .40 | .35 |
| 3 to 4 ft. ----- | .50 | .45 |
| 4 to 5 ft. ----- | .60 | |
| Lonicera Belle Rosea and Belle Alba | | |
| 6 to 8 ft. (Heavy) ----- | .65 | .60 |
| Lonicera Fragrantissima, | | |
| 18 to 24 in. ----- | .29 | .25 |
| 2 to 3 ft. ----- | .35 | .30 |
| 3 to 4 ft. ----- | .40 | .35 |
| Lonicera Korolkowi (Blue Leaf Honeysuckle) | | |
| 3 to 4 ft. ----- | .60 | |
| 4 to 5 ft. ----- | .70 | |
| Lonicera Maacki | | |
| 18 to 24 in. ----- | .25 | .20 |
| 2 to 3 ft. ----- | .30 | .25 |
| 3 to 4 ft. ----- | .40 | .35 |
| 4 to 5 ft. ----- | .50 | |
| Lonicera Syringantha Wolfi | | |
| 18 to 24 in. ----- | .25 | |
| 2 to 3 ft. ----- | .35 | |
| Lonicera Zabeli (Red) | | |
| 3 to 4 ft. ----- | .35 | .30 |
| 4 to 5 ft. ----- | .45 | .40 |
| Magnolia glauca (Virginiana) B & B | | |
| 2 to 3 ft. ----- | 2.25 | |
| 3 to 4 ft. ----- | 3.25 | |
| 4 to 5 ft. ----- | 4.00 | |
| 5 to 6 ft. ----- | 5.00 | |
| 6 to 8 ft. ----- | 8.00 | |
| Magnolia Lennei, B & B | | |
| 2 to 3 ft. ----- | 5.75 | |
| 3 to 4 ft. ----- | 7.75 | |
| 4 to 4½ ft. ----- | 8.50 | |
| Magnolia Fraseri, B & B | | |
| 5 to 6 ft. ----- | 4.50 | |
| Magnolia Nigra, B & B | | |
| 2 to 3 ft. ----- | 5.00 | |
| 3 to 4 ft. ----- | 7.00 | |
| 4 to 4½ ft. ----- | 7.75 | |
| Magnolia Soulangeana B & B | | |
| 18 to 24 in. ----- | 3.50 | |
| 2 to 3 ft. ----- | 5.00 | |
| 3 to 4 ft. ----- | 7.00 | |
| Oxydendron arboreum | | |
| 12 to 15 in. ----- | .50 | |
| 15 to 18 in. 2 yr. Bushy ----- | .65 | |
| Philadelphus cornarius | | |
| 18 to 24 in. ----- | .25 | |
| 2 to 3 ft. ----- | .30 | .28 |
| 3 to 4 ft. ----- | .40 | .35 |
| 4 to 5 ft. ----- | .50 | .45 |
| Philadelphus grandiflora | | |
| 3 to 4 ft. ----- | .40 | |
| 4 to 5 ft. ----- | .50 | |

| | Each Per 10 | Each Per C | |
|--|----------------|---------------|--------|
| <i>Philadelphus grandiflora</i> | | | |
| 3 to 4 ft. ----- | .40 | | |
| 4 to 5 ft. ----- | .50 | | |
| <i>Philadelphus Lemoinei</i> | | | |
| 2 to 3 ft. ----- | .35 | | |
| 3 to 4 ft. ----- | .40 | | |
| <i>Philadelphus virginal</i> (Dbl. Mock Orange) | | | |
| 18 to 24 in. ----- | .40 | .35 | |
| 2 to 3 ft. ----- | .50 | .45 | |
| 3 to 4 ft. ----- | .60 | .55 | |
| <i>Physocarpus opulifolia aurea</i> | | | |
| 18 to 24 in. ----- | .22 | .20 | |
| 3 to 4 ft. ----- | .35 | | |
| <i>Physocarpus monogynus</i> Dwarf Ninebark, | | | |
| 18 to 24 in. ----- | .25 | .22 | |
| 2 to 3 ft. ----- | .40 | .35 | |
| 3 to 4 ft. ----- | .45 | .40 | |
| | Each Per 10 | Each Per C | Per M |
| <i>Privet, Amoor River North</i> | | | |
| 2 yr. Heavy | | | |
| 12 to 18 in. ----- | .10 | .08 | 70.00 |
| 18 to 24 in. ----- | .15 | .10 | 80.00 |
| 2 to 3 ft. ----- | .18 | .12½ | |
| <i>Privet, California</i> | | | |
| 12 to 18 in. ----- | .06 | .05 | |
| 18 to 24 in. ----- | .07½ | .07 | |
| 2 to 3 ft. ----- | .08½ | .08 | |
| <i>Privet, Ibolium,</i> | | | |
| 2 yr. Heavy | | | |
| 12 to 18 in. ----- | .10 | .08 | 70.00 |
| 18 to 24 in. ----- | .15 | .10 | 80.00 |
| 2 to 3 ft. ----- | .18 | .12½ | 100.00 |
| 3 to 4 ft. ----- | .20 | .16 | 125.00 |
| | Each Per 10 | Each Per C | |
| <i>Privet, Ibota</i> | | | |
| 18 to 24 in. ----- | .18 | .16 | |
| 2 to 3 ft. ----- | .20 | .18 | |
| 3 to 4 ft. ----- | .25 | .22 | |
| <i>Privet, Regels</i> (True spreading type from cuttings) | | | |
| 2 to 3 ft. ----- | .42 | .40 | |
| 3 to 4 ft. ----- | .48 | .45 | |
| <i>Prunus Cistina</i> | | | |
| 18 to 24 in. ----- | .55 | .50 | |
| 2 to 3 ft. ----- | .70 | .65 | |
| 3 to 4 ft. ----- | .85 | .80 | |
| <i>Prunus tomentosum</i> | | | |
| 18 to 24 in. ----- | .30 | .25 | |
| 2 to 3 ft. ----- | .35 | .30 | |
| 3 to 4 ft. ----- | .40 | .35 | |
| 4 to 5 ft. ----- | .50 | .45 | |
| <i>Rhamnus Chadwicki</i> "New large black glossy fruited buckthorn." | | | |
| 12 to 18 in. ----- | .18 | .15 | |
| 18 to 24 in. ----- | .35 | .30 | |
| 2 to 3 ft. ----- | .40 | .35 | |
| 3 to 4 ft. ----- | .45 | .40 | |
| <i>Rhamnus frangula</i> | | | |
| 3 to 4 ft. ----- | .30 | .25 | |
| 4 to 5 ft. ----- | .35 | .30 | |

| | | Each Per 10 | Each Per C |
|--|------------|----------------|---------------|
| Rhodotyphos kerroides | | | |
| 18 to 24 in. ----- | | .40 | |
| 2 to 3 ft. ----- | | .50 | |
| Rhus cotinus (Smoke tree) | | | |
| 18 to 24 in. ----- | | .25 | |
| 2 to 3 ft. ----- | | .35 | .30 |
| 6 to 8 ft. clumps ----- | | 1.25 | 1.00 |
| Rhus Glabra or Rhus Typhina | | | |
| 4 to 5 ft. ----- | | .25 | .20 |
| 5 to 6 ft. ----- | | .30 | .25 |
| Robinia hispida (Rosa acacia) | | | |
| 18 to 24 in. ----- | | .35 | .30 |
| 2 to 3 ft. ----- | | .45 | .40 |
| Robinia Kelseyi, own root (Pink locust) | | | |
| 5 to 7 ft. ----- | | .75 | .70 |
| Rosa carolinensis | | | |
| 18 to 24 in. ----- | | .30 | .25 |
| 2 to 3 ft. ----- | | .35 | .30 |
| Rosa hugonis, | | | |
| 2 to 3 ft. ----- | | .40 | |
| 3 to 4 ft. ----- | | .50 | .45 |
| Shepherdia canadensis (Silverberry) | | | |
| 3 to 4 ft. ----- | | .50 | .40 |
| 4 to 5 ft. ----- | | .60 | |
| Spirea Anthony Watereri | | | |
| 8 to 12 in. ----- | | .25 | .20 |
| 15 to 18 in. ----- | | .45 | .40 |
| Spirea Arguta | | | |
| | Each Per M | | |
| 18 to 24 in. ----- | .20 | .25 | .22 |
| 2 to 3 ft. ----- | .30 | .35 | .32 |
| 3 to 4 ft. ----- | | .40 | .35 |
| Spirea Billardi | | | |
| 2 to 3 ft. ----- | | .29 | .25 |
| 3 to 4 ft. ----- | | .35 | .30 |
| Spiraea Froebeli | | | |
| 12 to 15 in. ----- | | .20 | .18 |
| 15 to 18 in. ----- | | .25 | .22 |
| 18 to 24 in. ----- | | .30 | .27 |
| Spiraea Thunbergi | | | |
| 18 to 24 in. ----- | | .30 | .25 |
| 2 to 3 ft. ----- | | .35 | .30 |
| Spiraea Tricocarpa (Korean Spirea) | | | |
| 4 to 5 ft. ----- | | .38 | .35 |
| 5 to 6 ft. ----- | | .45 | .40 |
| | Each Per M | | |
| Spiraea Van Houttei | | | |
| 18 to 24 in. ----- | | .20 | |
| 2 to 3 ft. ----- | | .30 | .25 |
| 3 to 4 ft. ----- | .25 | .35 | .30 |
| Symphoricarpos chenaulti, | | | |
| 18 to 24 in. ----- | | .25 | .22 |
| 2 to 3 ft. ----- | .25 | .35 | .30 |
| 3 to 4 ft. ----- | | .40 | .35 |
| Symphoricarpos vulgaris | | | |
| 18 to 24 in. ----- | | .17 | .16 |
| 2 to 3 ft. ----- | .18 | .25 | .22 |
| 3 to 4 ft. ----- | .22 | .29 | .25 |
| Tamarix Africana, | | | |
| 2 to 3 ft. ----- | | .30 | |
| 3 to 4 ft. ----- | | .35 | |
| 4 to 5 ft. ----- | | .45 | |

| | Each Per 10 | Each Per C |
|---------------------------------------|----------------|---------------|
| Tamarix hispida (Blue foliage) | | |
| 2 to 3 ft. ----- | .32 | .28 |
| 3 to 4 ft. ----- | .45 | .40 |
| 4 to 5 ft. ----- | .50 | .45 |
| 5 to 6 ft. ----- | .60 | |
| Viburnum Xanthocarpum, budded | | |
| 18 to 24 in. ----- | 1.00 | |
| 2 to 3 ft. ----- | 2.00 | |
| Viburnum Amer. Var. Hahs | | |
| 5 to 6 ft. ----- | .85 | |
| 6 to 8 ft. ----- | .95 | |
| Viburnum Burkwoodi | | |
| 12 to 18 in. ---Bare Root ----- | 1.25 | 1.00 |
| 18 to 24 in. ---B & B ----- | 2.25 | |
| 2 to 3 ft. ---B & B ----- | 3.00 | |
| Viburnum cassinoides, | | |
| 4 to 5 ft. ----- | 1.50 | |
| Viburnum dentatum, | | |
| 18 to 24 in. ----- | .30 | .25 |
| 2 to 3 ft. ----- | .35 | .30 |
| 3 to 4 ft. ----- | .40 | .35 |
| 4 to 5 ft. ----- | .45 | .40 |
| 5 to 6 ft. ----- | .50 | .45 |
| 6 to 7 ft. ----- | .55 | .50 |
| Viburnum Dilitatum | | |
| 12 to 18 in. ----- | .40 | .35 |
| 18 to 24 in. ----- | .50 | .45 |
| 2 to 3 ft. ----- | .70 | |
| 3 to 4 ft. ----- | .85 | |
| Viburnum lantana | | |
| 18 to 24 in. ----- | .35 | |
| 2 to 3 ft. ----- | .45 | |
| 3 to 4 ft. ----- | .55 | .50 |
| 4 to 5 ft. ----- | .60 | .55 |
| 5 to 6 ft. ----- | .65 | .60 |
| Viburnum lentago | | |
| 3 to 4 ft. ----- | .45 | .40 |
| 4 to 5 ft. ----- | .50 | .45 |
| 5 to 6 ft. ----- | .60 | .55 |
| 6 to 7 ft. ----- | .65 | .60 |
| 7 to 8 ft. ----- | .75 | .70 |
| Viburnum Molle | | |
| 2 to 3 ft. ----- | .40 | .35 |
| 3 to 4 ft. ----- | .45 | .40 |
| 4 to 5 ft. ----- | .55 | .50 |
| 5 to 6 ft. ----- | .60 | .55 |
| 6 to 7 ft. ----- | .65 | |
| 7 to 8 ft. ----- | .75 | |
| Viburnum opulus | | |
| 4 to 5 ft. ----- | .60 | |
| 5 to 6 ft. ----- | .65 | |
| 6 to 7 ft. ----- | .75 | |
| Viburnum opulus sterile | | |
| 4 to 5 ft. ----- | .60 | |
| 5 to 6 ft. ----- | .80 | |
| Viburnum prunifolium | | |
| 3 to 4 ft. ----- | .75 | .65 |
| 4 to 5 ft. ----- | .90 | .85 |
| 5 to 6 ft. ----- | 1.10 | 1.00 |
| 6 to 7 ft. ----- | 1.25 | 1.15 |
| 7 to 8 ft. ----- | 1.50 | |

| | Each Per 10 | Each Per C |
|---|----------------|---------------|
| Viburnum Pubescens, (A dwarf Viburnum resembling Dentatum) | | |
| 12 to 18 in. ----- | .40 | .35 |
| 18 to 24 in. ----- | .50 | .45 |
| 3 to 4 ft. ----- | 1.50 | |
| (Also larger sizes) | | |
| Viburnum Tomentosum Plicatum | | |
| 18 to 24 in. ----- | .55 | .50 |
| 2 to 3 ft. ----- | .65 | |
| Viburnum Sieboldi | | |
| 2 to 3 ft. ----- | .75 | |
| Viburnum Tomentosum | | |
| 18 to 24 in. ----- | .40 | .35 |
| 2 to 3 ft. ----- | .60 | .50 |
| Vitex Macrophylla | | |
| 18 to 24 in. ----- | .35 | .30 |
| 2 to 3 ft. ----- | .45 | .40 |
| Weigela abel carrierei | | |
| 3 to 4 ft. ----- | .50 | |
| Weigela lutea | | |
| 18 to 24 in. ----- | .40 | |
| 2 to 3 ft. ----- | .50 | |
| Weigela Rosea | | |
| 18 to 24 in. ----- | .30 | .25 |
| 2 to 3 ft. ----- | .42 | .35 |
| 3 to 4 ft. ----- | .48 | .45 |
| Weigela Florida venusta | | |
| 3 to 4 ft. ----- | .75 | |
| Weigela Eva Rathke | | |
| 18 to 24 in. ----- | .45 | .40 |
| 2 to 3 ft. ----- | .55 | .50 |
| 3 to 4 ft. ----- | .70 | |

Tree Peony clumps

Mixed varieties, 10 yr. ----- 5.00

We have many heavy specimen shrubs which are especially desirable for landscape use. All are well grown and full.

FIELD GROWN SHADE TREES

| | | |
|---|--------|--------|
| Aesculus Oct. (Ohio Buckeye) | | |
| 6 to 8 ft. ----- | \$2.25 | \$2.00 |
| 8 to 10 ft. ----- | 2.75 | |
| Aesculus pavia, (Red Buckeye) | | |
| 3 to 4 ft. ----- | 2.00 | |
| 4 to 5 ft. ----- | 3.00 | |
| 5 to 6 ft. ----- | 5.00 | |
| 6 to 8 ft. ----- | 7.00 | |
| Ash, American - White - Green | | |
| 8 to 10 ft. ----- | 1.50 | |
| 1½ to 1½ in. cal. ----- | 1.75 | |
| 1½ to 1¾ in. cal. ----- | 2.50 | |
| 1¾ to 2 in. cal. ----- | 2.75 | |
| Birch, Cutleaf Weeping | | |
| 4 to 5 ft. ----- | 1.50 | |
| 6 to 8 ft. ----- | 2.50 | |
| Carpinus betulus, (European hornbeam, branched to the ground), | | |
| 6 to 8 ft. (Specimen) B & B --- | 6.50 | |
| 8 to 12 ft. " B & B --- | 8.50 | |
| Celtis occidentalis (Hackberry), | | |
| 6 to 8 ft. ----- | 1.50 | 1.25 |
| 8 to 10 ft. ----- | 2.00 | 1.75 |

| | Each Per 10 | Each Per C |
|---|----------------|---------------|
| Cherry, Dbl. Pink Flowering (Kwanzan) | | |
| 3 to 4 ft. ----- | 1.50 | |
| 5 to 6 ft. ----- | 2.50 | |
| Cherry, Weeping Flowering (Serrulata) | | |
| 1 year heads, 5 to 6 ft. ----- (Grafted high) | 2.50 | |
| Cercis canadensis (Red Bud), (B & B extra) | | |
| 2 to 3 ft. ----- | .50 | .45 |
| 3 to 4 ft. ----- | .85 | .80 |
| 4 to 5 ft. ----- | 1.25 | 1.00 |
| 5 to 6 ft. ----- | 1.45 | 1.25 |
| 6 to 7 ft. ----- | 1.75 | |
| Cercidiphyllum japonica | | |
| 3 to 4 ft. ----- | 2.00 | |
| Cornus alternifolia | | |
| 8 to 10 ft. ----- | 1.75 | |
| Cornus florida, (White Dogwood), B&B | | |
| 3 to 4 ft. ----- | 2.50 | |
| 4 to 5 ft. ----- | 3.25 | |
| Cornus Kousa | | |
| 4 to 5 ft. ----- | 3.00 | |
| 8 to 10 ft. ----- | 5.00 | |
| Crataegus arnoldiana (Hawthorne), | | |
| 8 to 10 ft. ----- | 3.00 | |
| Crataegus cordata, | | |
| 6 to 8 ft. ----- | 3.50 | |
| 8 to 10 ft. ----- | 4.00 | |
| Crataegus crusgalli, | | |
| 3 to 4 ft. ----- | 1.00 | |
| 4 to 5 ft. ----- | 1.75 | |
| 6 to 7 ft. ----- | 2.50 | |
| 7 to 8 ft. ----- | 3.00 | |
| 8 to 10 ft. ----- | 4.25 | |
| Crataegus mollis, | | |
| 5 to 6 ft. ----- | 1.75 | 1.50 |
| 6 to 8 ft. ----- | 2.50 | 2.25 |
| 8 to 10 ft. ----- | 3.50 | 3.25 |
| Crataegus oxycantha, | | |
| 4 to 5 ft. ----- | 1.50 | |
| 6 to 8 ft. ----- | 3.00 | |
| Crataegus oxycantha Pauli (Paul's Scarlet Hawthorne) | | |
| 4 to 5 ft. ----- | 1.90 | |
| Cypress | | |
| 4 to 5 ft. -----(B & B) ----- | 4.50 | |
| Elm, American | | |
| 1¼ to 1½ in. cal. ----- | 1.25 | 1.00 |
| 1½ to 1¾ in. cal. ----- | 2.00 | 1.50 |
| 1¾ to 2 in. cal. ----- | 2.25 | 1.90 |
| 2 to 2½ in. cal. ----- | 2.75 | 2.50 |
| 2½ to 3 in. cal. ----- | 4.50 | 4.25 |
| 3 to 3½ in. cal. ----- | 7.00 | 6.00 |
| Ginkgo Biloba | | |
| 4 to 5 ft. ----- | 1.00 | |
| 5 to 6 ft. ----- | 1.75 | |
| 6 to 8 ft. ----- | 2.25 | |
| 8 to 10 ft. ----- | 2.75 | |
| Gleditsia triacanthos inermis | | |
| 6 to 8 ft. ----- | 1.75 | 1.50 |
| 8 to 10 ft. ----- | 2.25 | |
| 10 to 12 ft. ----- | 2.75 | |
| Larger sizes to 2½ in. cal. | | |

| | Each Per 10 | Each Per C |
|---|----------------|---------------|
| Gymnocladus dioica (Kentucky Coffee tree) | | |
| 4 to 5 ft. ----- | 1.00 | .90 |
| 5 to 6 ft. ----- | 1.25 | 1.10 |
| 6 to 8 ft. ----- | 2.50 | |
| Laburnum Vosseii | | |
| 6 to 7 ft. ----- | 3.50 | |
| Linden, American | | |
| 1½ to 1¾ cal., 10 to 12' ----- | 2.50 | 2.25 |
| 1¾ in. to 2 in. cal., 11 to 13' -- | 3.00 | 2.75 |
| 2 to 2½ in. cal., 12 to 15 ft. --- | 3.75 | 3.50 |
| 2½ to 3 in. cal., 15 to 16 ft. --- | 4.50 | |
| Linden European Little Leaf | | |
| 1½ to 1¾ in. cal. ----- | 2.50 | |
| 1¾ to 2 in. cal. ----- | 3.00 | |
| 2 to 2½ in. cal. ----- | 3.75 | |
| 2½ to 3 in. cal. ----- | 4.75 | |
| Linden, Pyramidal | | |
| 6 to 8 ft. ----- | 2.50 | |
| 8 to 10 ft. ----- | 3.50 | |
| Liquidambar styraciflua (Sweet Gum) | | |
| 6 to 8 ft. ----- | 2.00 | |
| 8 to 10 ft. ----- | 2.25 | |
| 1½ in. to 2 in. cal. ----- | 3.50 | |
| Liriodendron tulipifera (Tulip tree) | | |
| 5 to 6 ft. ----- | 1.25 | |
| 6 to 8 ft. ----- | 2.00 | |

FLOWERING CRABAPPLES

Flowering Crabapples in Specimen Plants.

These can be balled and burlapped if desired, see balling schedule.

| | Each Per 10 | Each Per C |
|---|----------------|---------------|
| Malus Coronarius | | |
| 8 to 10 ft. ----- | 2.50 | 2.25 |
| 10 to 12 ft. ----- | 3.00 | 2.75 |
| Malus Ioensis | | |
| 6 to 8 ft. ----- | 2.25 | 2.00 |
| 8 to 10 ft. ----- | 3.00 | 2.75 |
| 10 to 12 ft. ----- | 4.00 | 3.50 |
| Asiatic Flowering Crabapples: | | |
| Malus Aldenhamensis | | |
| " Eleyei | | |
| " Georgeous | | |
| " Scheideckerii | | |
| " Spectabilis | | |
| " Thiefera | | |
| 2 to 3 ft. 1 yr. ----- | .50 | |
| 3 to 4 ft. 1 yr. ----- | .65 | |
| 8 to 10 ft. ----- | 2.50 | |
| 10 to 12 ft. ----- | 3.50 | |
| (Caliper will run from 2 to 3 in. These are well branched specimens) | | |

Magnolia glauca (Virginiana) B&B

| | |
|------------------|------|
| 2 to 3 ft. ----- | 2.25 |
| 3 to 4 ft. ----- | 3.25 |
| 4 to 5 ft. ----- | 4.00 |
| 5 to 6 ft. ----- | 5.00 |
| 6 to 8 ft. ----- | 8.00 |

| | Each Per 10 | Each Per C |
|---|----------------|---------------|
| Magnolia Lennel, B&B | | |
| 2 to 3 ft. ----- | 5.75 | |
| 3 to 4 ft. ----- | 7.75 | |
| 4 to 4½ ft. ----- | 8.50 | |
| Magnolia Fraseri, B&B | | |
| 5 to 6 ft. ----- | 4.50 | |
| Magnolia Nigra, B&B | | |
| 2 to 3 ft. ----- | 5.00 | |
| 3 to 4 ft. ----- | 7.00 | |
| 4 to 4½ ft. ----- | 7.75 | |
| Magnolia Soulangeana B&B | | |
| 18 to 24 in. ----- | 3.50 | |
| 2 to 3 ft. ----- | 5.00 | |
| 3 to 4 ft. ----- | 7.00 | |
| Maple, Acer Rubrum | | |
| 6 to 8 ft. ----- | 1.75 | |
| 8 to 10 ft. ----- | 2.00 | |
| 1¼ to 1½ in. cal. ----- | 2.50 | 2.00 |
| 1½ to 1¾ in. cal. ----- | 3.50 | 3.25 |
| 1¾ to 2 in. cal. ----- | 5.00 | 4.50 |
| 2 to 2½ in. cal. ----- | 6.00 | 5.50 |
| Maple, Norway | | |
| 6 to 8 ft. branched ----- | 2.00 | |
| 8 to 10 ft. ----- | 2.50 | 2.35 |
| 1¼ to 1½ in. cal. ----- | 2.75 | |
| 1½ to 2 in. cal. ----- | 4.00 | 3.75 |
| 2 to 2½ in. cal. ----- | 5.00 | 4.75 |
| 2½ to 3 in. cal. ----- | 7.00 | |
| 3 to 4 in. cal. ----- | 10.00 | |
| Maple, Norway pyramidal | | |
| 6 to 8 ft. ----- | 2.50 | |
| 8 to 10 ft. ----- | 4.50 | |
| 1¾ in. to 2 in. cal. ----- | 5.50 | 5.00 |
| 2 to 2½ in. cal. ----- | 7.50 | 6.75 |
| 2½ to 3 in. cal. ----- | 9.00 | |
| Maple, Schwedleri | | |
| 6 to 8 ft. ----- | 1.75 | |
| Maple, Silver | | |
| 6 to 8 ft. ----- | 1.00 | .90 |
| 8 to 10 ft. ----- | 1.40 | 1.25 |
| 10 to 12 ft. ----- | 2.00 | 1.75 |
| (Also an assortment of larger sizes up to 5 and 6 inches) | | |
| Maple, Sugar | | |
| 8 to 10 ft. ----- | 3.50 | |
| 10 to 12 ft. ----- | 4.50 | |
| 1½ to 2 in. ----- | 5.50 | |
| Oak, Black (Velutina) | | |
| 2 to 2½ in. cal. ----- | 5.50 | |
| 2½ to 3 in. cal. ----- | 7.50 | |
| 3 to 3½ in. cal. ----- | 10.00 | |
| 3½ to 4 in. cal. ----- | 12.50 | |
| Oak, English (Robur) | | |
| 1¼ to 1½" cal. - 8 to 10 ft. ----- | 2.75 | 2.50 |
| 1½ to 2" cal. - 10 to 12 ft. -- | 4.00 | 3.50 |
| 2 to 2½" cal. - 12 to 15 ft. -- | 4.50 | 4.00 |
| 2½ to 3 in. cal. ----- | 6.00 | 5.50 |
| 3 to 4 in. cal. ----- | 7.50 | |
| 4 to 5 in. cal. ----- | 12.00 | |
| Oak, Shingle (Quercus Imbricaria (A rare and valuable tree)) | | |
| 5 to 6 ft. ----- | 2.50 | |
| 6 to 8 ft. ----- | 3.50 | |

| | Each Per 10 | Each Per C |
|--|----------------|---------------|
| Oak, macrocarpa (Burr Oak) | | |
| 8 to 10 ft. ----- | 2.25 | |
| 1¼ to 1½ in. cal. ----- | 2.50 | |
| 1½ to 2 in. cal. ----- | 3.00 | |
| 2 to 2½ in. cal. ----- | 4.50 | |
| 2½ to 2¾ in. cal. ----- | 5.00 | |
| Oak, Pin | | |
| 8 to 10 ft. ----- | 2.75 | |
| 1¼ to 1½ in. cal. ----- | 3.50 | |
| 1½ to 2 in. cal. ----- | 5.00 | |
| Oak, Red (Rubra) | | |
| 6 to 8 ft. ----- | 2.25 | |
| 1¼ to 1½ in. cal. ----- | 3.00 | |
| 1½ to 1¾ in. cal. ----- | 3.50 | |
| 1¾ to 2 in. cal. ----- | 4.25 | |
| 2 to 2½ in. cal. ----- | 5.00 | |
| 2½ to 3 in. cal. ----- | 8.00 | |
| 3 to 4 in. cal. ----- | 12.00 | |
| Oak, White (Alba) | | |
| 1½ to 2 in. cal. ----- | 3.00 | |
| 2 to 2½ in. cal. ----- | 5.00 | |
| 2½ to 3 in. cal. ----- | 8.00 | |
| 3 to 4 in. cal. ----- | 10.00 | |
| Oak, Willow Leaf (Quercus Phellos) | | |
| 6 to 8 ft. ----- | 2.50 | |
| 8 to 10 ft. ----- | 3.00 | |
| 10 to 12 ft. ----- | 5.00 | |
| Phellodendron amurense (Cork tree), | | |
| 8 to 10 ft. ----- | 2.75 | |
| 10 to 12 ft. ----- | 3.25 | |
| Robinia Slaveni (Own root), Pink flw. locust, largest flowers | | |
| 6 to 8 ft. ----- | 2.00 | |
| 8 to 10 ft. ----- | 3.00 | 2.50 |
| Sycamore, American | | |
| 6 to 8 ft. ----- | 1.75 | 1.50 |
| 8 to 10 ft. ----- | 2.50 | 2.25 |
| Willow, Weeping Golden | | |
| 6 to 8 ft. ----- | 1.50 | |

BALLING SCHEDULE

The following schedule shows the approximate sizes required for various grades of deciduous shrubs and trees. However, any size designated by the purchaser will be used and charged for accordingly. Weights are approximate.

These prices are only additional for material listed bare root and do not apply to evergreens and other material priced B&B.

SHRUBS AND FLOWERING TREES

| Ball Size | Lbs. Wt. | Plant Size | Each Per 10 | Each Per C |
|-----------|----------|-------------------|-------------|------------|
| 10 in. | 30 | 1½ to 2 ft. ----- | .50 | .40 |
| 12 in. | 45 | 2 to 3 ft. ----- | .60 | .50 |
| 13 in. | 55 | 3 to 4 ft. ----- | .75 | .60 |
| 15 in. | 85 | 4 to 5 ft. ----- | 1.00 | .85 |
| 16 in. | 105 | 5 to 6 ft. ----- | 1.35 | 1.25 |
| 18 in. | 150 | 6 to 7 ft. ----- | 2.25 | 2.00 |
| 20 in. | 200 | 7 to 8 ft. ----- | 3.50 | 3.25 |
| 22 in. | 260 | 8 to 10 ft. ----- | 5.00 | 4.50 |

STANDARD SHADE TREES

| | | | | |
|--------|------|--------------------|-------|-------|
| 20 in. | 200 | 1¼ to 1½ in. ----- | 3.50 | 3.25 |
| 22 in. | 260 | 1½ to 1¾ in. ----- | 5.00 | 4.50 |
| 24 in. | 325 | 1¾ to 2 in. ----- | 6.00 | 5.50 |
| 28 in. | 400 | 2 to 2½ in. ----- | 8.00 | 7.00 |
| 30 in. | 650 | 2½ to 3 in. ----- | 10.00 | 9.00 |
| 36 in. | 1025 | 3 to 4 in. ----- | 16.00 | 15.00 |
| 42 in. | 1600 | 4 to 5 in. ----- | 22.00 | 20.00 |

FIELD GROWN VINES

| | Each Per 10 | Each Per C | Each Per M |
|--|----------------|---------------|---------------|
| Ampelopsis veitchi (Parthenocissus tricuspidata veitchi) | | | |
| 2 yr. No. 1 ----- | .35 | .30 | |
| Bignonia radicans | | | |
| 2 yr. ----- | .30 | .25 | |
| Bignonia Mad. Galen (Trumpet Vine) | | | |
| 2 yr. No. 1 ----- | .50 | | |
| Celastrus orbiculatus, and scandens (Oriental and American Bittersweet) | | | |
| 2 yr. No. 1 ----- | .20 | .18 | .12 |
| 3 yr. ----- | .25 | .22 | .16 |
| Clematis, large flowered varieties | | | |
| Mme Andre (Red) | | | |
| Mme B. Veillard | | | |
| Jackmani (Purple) | | | |
| 2 yr. Medium ----- | .55 | | .50 |
| Clematis paniculata | | | |
| 2 yr. No. 1 ----- | .40 | | .35 |
| Euonymus colorata (For ground cover) | | | |
| 8 to 12 in. T., 1 yr. ----- | | .08 | .07½ |
| 12 to 15 in. T., 1 yr. ----- | | .10 | .09 |
| 8 to 12 in., 2 yr. T. ----- | | .10 | .09 |
| 12 to 18 in. 2 yr. T. ----- | | .15 | .12½ |
| 18 to 24 in. 2 yr. T. ----- | | .18 | .15 |
| Euonymus radicans (True small leaf type) | | | |
| 4 to 6 in. T., 1 yr. ----- | | .10 | |
| 6 to 8 in., 2 yr. ----- | | .18 | |
| 8 to 12 in., 2 yr. T. ----- | | .25 | |
| 12 to 15 in. ----- | | .35 | |
| Hedera Helix (English Ivy) Large leaf or small leaf | | | |
| 2 yr. pot grown ----- | .15 | .12 | .10 |
| Lonicera Heckrottii | | | |
| 2 yr. ----- | .35 | .30 | |
| 3 yr. ----- | .45 | .40 | |
| Lonicera japonica Halliana, | | | |
| 2 yr. #1 ----- | .20 | .15 | .12½ |
| Polygonum Auboretum | | | |
| 2 yr. #1 ----- | .35 | .30 | |
| Vinca Minor ----- | | .10 | .07½ |
| Wisteria chinensis White and Purple (Own Root from flowering wood) | | | |
| 3 yr. No. 1 grafts ----- | .50 | .45 | |

FRUIT TREES AND SMALL FRUIT

| | Per 10 | Per C |
|---|--------|-------|
| Peach | | |
| 5/16" ----- | 2.00 | 15.00 |
| 7/16" ----- | 3.00 | 25.00 |
| 9/16" ----- | 4.00 | 35.00 |
| Belle of Georgia, Elberta, Golden Jubilee, Hale Haven, Red Haven, Cumberland, Kette. | | |

Apple - 5-in-1 ----- 1.50 ea.

The following five varieties on 2 yr. stem —
Yellow Transparent, Grimes Golden, Red Delicious,
Stayman Winesap, Jonathon

| | | |
|---|------|-------|
| Apple, 2 yr. | | |
| 7/8" to 1" and up ----- | 6.00 | 50.00 |
| 11/16" ----- | 5.00 | 40.00 |
| 9/16" ----- | 4.00 | 35.00 |
| 7/16" ----- | 3.00 | 25.00 |
| 5/16" ----- | 2.00 | 18.00 |
| Baldwin, Golden Delicious, Grimes Golden, Jonathon, McIntosh, Yellow Transparent, Lodi, Red Delicious, Rome Beauty, Stayman Winesap. | | |

| | | |
|---|------|-------|
| Cherry, 2 yr. | | |
| 11/16" ----- | 9.00 | 85.00 |
| 9/16" ----- | 7.50 | 70.00 |
| 7/16" ----- | 6.50 | 60.00 |
| Early Richmond and Montmorency (Add .20¢ ea. for Sweet Cherry) | | |

| | | |
|--|------|-------|
| Plum, 2 yr. | | |
| 11/16" ----- | 9.00 | 85.00 |
| 9/16" ----- | 7.50 | |
| 7/16" ----- | 5.00 | |
| (Bradshaw, German Plum, and Abundance) | | |

| | | |
|---|------|-------|
| Pear, 2 yr. | | |
| 11/16" ----- | 9.00 | 85.00 |
| 9/16" ----- | 8.00 | 75.00 |
| 7/16" ----- | 6.00 | 55.00 |
| Bartlett, Dutchess, Gorham, Kiefer and Seckle. | | |

| | Per 10 | Per C | Per M |
|-----------------------------------|--------|-------|-------|
| Asparagus, 2 yr. ----- | .60 | 3.00 | 25.00 |
| Rhubarb Divisions | | | |
| (McDonald) ----- | 3.50 | 30.00 | |
| Currants, 2 yr. #1 | | | |
| Red Lake ----- | 2.00 | 18.00 | |
| Gooseberries, 2 yr. #1 | | | |
| Downing ----- | 3.50 | 30.00 | |
| Grapes, 2 yr. #1 | | | |
| Concord ----- | 2.00 | 15.00 | |
| Caco, Portland, Fredonia ----- | 2.50 | 22.00 | |
| Niagara, Moore's Early -- | 2.50 | 22.00 | |
| Raspberries, | | | |
| Cumberland, (Black) ----- | | 4.50 | |
| Latham (Red) ----- | | 6.50 | |

NOTES

(See our Pink List of Lining Out Stock)

GLOBE BARBERRY

(Plant Patent No. 189)

(*Berberis thunbergi nana*)

See Prof. Chadwick's Select List of Shrubs



Ordinary Barberry



Berberis nana
(Natural Shape)

This is a low, slow growing and compact sport of the well known hardy Barberry. It's compact, tight growth makes a trim appearance without shearing. This plant never gets out of hand as do common Barberry plants and the foliage is better than that of the parent and it has the same kind and color fruits. Its appearance is somewhat like that of a dwarf Holly or Azalea. It is undoubtedly the best permanently dwarf deciduous plant for low hedges and borders because of its dwarfness, hardiness and general permanence.

This is the first time this plant has been offered for sale. Due to its slow growth the purchaser is assured of maintenance of the present price schedule. It is suggested that as large sizes cannot well be shipped these grades be planted out for growth on as specimens.

WHOLESALE PRICES

| | 10 Rate | 100 Rate | 1000 Rate |
|--------------------|---------|----------|-----------|
| 4 to 6 in. ----- | .30 | .25 | .20 |
| 6 to 9 in. ----- | .35 | .30 | .25 |
| 9 to 12 in. ----- | .45 | .40 | .35 |
| 12 to 15 in. ----- | .55 | .50 | .45 |
| 15 to 18 in. ----- | .65 | .60 | |

SUGGESTED MINIMUM RETAIL PRICES

| | Each | Dozen | Per C |
|--------------------|------|-------|--------|
| 4 to 6 in. ----- | .60 | 6.00 | 45.00 |
| 6 to 9 in. ----- | .75 | 7.50 | 55.00 |
| 9 to 12 in. ----- | 1.00 | 10.00 | 70.00 |
| 12 to 15 in. ----- | 1.25 | 12.50 | 100.00 |